



## AIR FILTER OIL

### PRODUCT DESCRIPTION:

Air Filter Oil is specifically formulated for use on "wet-type" foam air filters in both four-stroke and two-stroke engines. Crafted with a carefully balanced combination of base oils and additives, it provides exceptional performance in preventing airborne dirt and abrasive particles from entering the fuel intake system and reaching the combustion chamber, ensuring optimal engine protection and efficiency.

### APPLICATION:

Air Filter Oil is designed for use in all oiled foam elements.

### DIRECTIONS FOR USE:

NOTE: Wear solvent resistant gloves when using Air Filter Oil.

Ensure the foam filter is clean. To clean, wash a dirty filter in solvent (for example, kerosene or distillate) to remove oil and dirt. Squeeze out any remaining solvent carefully, taking care not to damage the foam element. Service the foam air filter regularly in accordance with the manufacturers' instruction, and particularly when the unit has been used in dusty, dirty operating environments.

NOTE: If the filter is washed with a degreaser and then with water, remove as much water as possible by shaking or squeezing between an absorbent material or leaving to dry, before applying Air Filter Oil.

Do not apply or mix Air Filter Oil with any other fluid to the wet type foam air filters otherwise the efficiency of the product will be impaired.

### FEATURES & BENEFITS:

- Developed to ensure excellent performance for motorcycle filters.
- Tested in both controlled field conditions and bench test procedures according to BSI 1701 (ISO 511).
- High filtering efficiency for extended filter and engine life.
- Maintains air flow for instant engine response and maximum power output.

### TYPICAL PROPERTIES:

PARAMETERS	ASTM	UNIT	Air Filter Oil
Appearance	-	-	Blue Tacky Oil
Flash Point, °C	D92	°C	40
Density@15°C/ 60°F	D4052	g/cm3	TBR

DISCLAIMER: The test data provided above is for reference purposes and is not a strict specification, as variations within acceptable production tolerances may occur. Phoenix reserves the right to update or revise this test data. For the most accurate and up-to-date information, please consult the latest version of this Technical Data Sheet (TDS).

### HEALTH & SAFETY, ENVIRONMENT:

Prolonged and repeated contact with oil may cause skin disorders. Avoid contact. Wash immediately with soap and water. Do not discharge used oil in to drains or the environment. Dispose to an authorized used oil collection point. For further Information on Safety Guidelines please refer to MSDS available on our website [Phoenixlubricants.com](http://Phoenixlubricants.com)

