



DRIVE G2 GEAR OIL

PRODUCT DESCRIPTION:

DRIVE G2 is a fully synthetic axle lubricant crafted from premium base oils and high-performance additives. It ensures precise friction control and exceptional resistance to aging. Specifically designed for front-wheel drive gearboxes, this performance-optimized front-axle transmission oil reduces torque loss and enhances the efficiency of the axle drive.

APPLICATION:

DRIVE G2 is specially designed oil for the high demands of BMW front axle transmission. It reduces torque loss and improves the efficiency of the axle drive. The operating instructions of the vehicle and transmission manufacturers must be followed.

FEATURES & BENEFITS:

- Excellent viscosity/temperature properties
- Reduces running noise
- Outstanding corrosion protection
- Excellent wear resistance
- Very compatible with seals
- High pressure-absorption capability
- For extended oil-change intervals
- Excellent resistance to aging

PERFORMANCE LEVELS / MEETS OR EXCEEDS:

- BMW 83-22-2-413-511, API GL-5.

TYPICAL PROPERTIES:

PARAMETERS	ASTM	UNIT	DRIVE G2
			75W-85
KV@ 104°F /40°C	D7042	cSt	TBR
KV @ 212°F /100°C	D7042	cSt	12.0
Viscosity Index	D2270	-	140
Density@15°C	D4052	g/cm3	TBR
Flash Point (min)	D92	°C	200
Pour Point (max)	D97	°C	-42

DISCLAIMER: The test data provided above is for reference purposes and is not a strict specification, as variations within acceptable production tolerances may occur. Phoenix reserves the right to update or revise this test data. For the most accurate and up-to-date information, please consult the latest version of this Technical Data Sheet (TDS).

HEALTH & SAFETY, ENVIRONMENT:

Prolonged and repeated contact with oil may cause skin disorders. Avoid contact. Wash immediately with soap and water. Do not discharge used oil in to drains or the environment. Dispose to an authorized used oil collection point. For further Information on Safety Guidelines please refer to MSDS available on our website Phoenixlubricants.com