



DRIVE SYNTH EP EXTREME PRESSURE AUTOMOTIVE GEAR OIL

PRODUCT DESCRIPTION:

Drive Synth EP 75W-90 is a fully synthetic lubricant designed for use in drive axles of General Motors vehicles, specifically where oil meeting GM specifications 9986115 is required.

APPLICATION:

DRIVE SYNTH EP is recommended as service-fill lubricant for drive axles on General Motors vehicles requiring the product meeting GM 9986115 specifications.

FEATURES & BENEFITS

- Excellent viscosity/temperature properties
- Outstanding axle wear protection.
- outstanding corrosion protection
- excellent wear resistance
- Improved shear stability for a stable viscosity during use
- excellent resistance to aging

PERFORMANCE LEVELS / MEETS OR EXCEEDS:

- GM 9986115

TYPICAL PROPERTIES:

PARAMETERS	ASTM	UNIT	SHIFT SYNTH EP
			75W-90
KV@ 104°F /40°C	D7042	cSt	TBR
KV@212°F /100°C	D7042	cSt	14.6
Viscosity Index (min)	D2270	-	140
Density@15°C	D4052	g/cm3	TBR
Flash Point (min)	D92	°C	200
Pour Point (max)	D97	°C	-45

DISCLAIMER: The test data provided above is for reference purposes and is not a strict specification, as variations within acceptable production tolerances may occur. Phoenix reserves the right to update or revise this test data. For the most accurate and up-to-date information, please consult the latest version of this Technical Data Sheet (TDS).

HEALTH & SAFETY, ENVIRONMENT:

Prolonged and repeated contact with oil may cause skin disorders. Avoid contact. Wash immediately with soap and water. Do not discharge used oil in to drains or the environment. Dispose to an authorized used oil collection point. For further Information on Safety Guidelines please refer to MSDS available on our website Phoenixlubricants.com